



IP65 IK10 CLASS I CE

# AMAROK CRI95

An IP65, energy efficient, modular CRI95 LED panel suitable for both modular and plasterboard ceilings.

Recommended for use in operating theatres as it provides a high level of R9 and R13 that faithfully renders the colour of blood and tissue.

# AMAROK CRI95 LED

## FEATURES & BENEFITS

- > Certified for clean rooms fulfilling the specification of air cleanliness ISO Class 3-9 according to ISO 14644-1:2015
- > Suitable for lay-in modular and plasterboard ceilings
- > Anti-bacterial protection
- > Various sizes available: 600x600 / 300x1200 / 600x1200
- > Optimum colour consistency—3 step MacAdam ellipse tolerance
- > Average 72,000hrs LED life (L80/B10)
- > Photobiological hazard: RG0

## PERFORMANCE




Light source	LED
Luminaire output	1987 - 10235lm
CRI	95

## MATERIALS

Body	Sheet steel
Finish	White
Diffuser	Opal polycarbonate TP(a)

## OPTIONS

- > 3hr emergency
- > Tuneable white and 3000K
- > 300x600mm
- > Internal fuse and LSOH cable



## AMAROK CRI95 LED

LAMP	COLOUR TEMP	DELIVERED LUMENS	DIMENSIONS	STANDARD	DALI	EMERGENCY STANDARD	DALI
19W	4000K	1987lm	596 x 596	14203501	14203503	14203591	14203593
26W	4000K	2720lm	596 x 596	14203601	14203603	14203691	14203693
31W	4000K	3247lm	596 x 596	14203701	14203703	14203791	14203793
37W	4000K	3878lm	596 x 596	14203801	14203803	14203891	14203893
43W	4000K	4506lm	596 x 596	14203901	14203903	14203991	14203993
53W	4000K	5502lm	596 x 596	14204001	14204003	14204091	14204093
63W	4000K	6538lm	596 x 596	14204101	14204103	14204191	14204193
72W	4000K	7450lm	596 x 596	14204201	14204203	14204291	14204293
81W	4000K	8360lm	596 x 596	14204301	14204303	14204391	14204393
100W	4000K	10235lm	596 x 596	14204401	14204403	14204491	14204493
20W	4000K	2064lm	296 x 1196	14204501	14204503	14204591	14204593
26W	4000K	2684lm	296 x 1196	14204601	14204603	14204691	14204693
32W	4000K	3308lm	296 x 1196	14204701	14204703	14204791	14204793
37W	4000K	3825lm	296 x 1196	14204801	14204803	14204891	14204893
43W	4000K	4454lm	296 x 1196	14204901	14204903	14204991	14204993
38W	4000K	3944lm	596 x 1196	14205001	14205003	14205091	14205093
50W	4000K	5190lm	596 x 1196	14205101	14205103	14205191	14205193
62W	4000K	6442lm	596 x 1196	14205201	14205203	14205291	14205293
73W	4000K	7592lm	596 x 1196	14205301	14205303	14205391	14205393
84W	4000K	8726lm	596 x 1196	14205401	14205403	14205491	14205493