



IP65 IK09 CLASS I CE

ZUPLA LED

A high quality, vandal resistant LED bollard, which is ideal for illuminating pedestrian walkways, building entrances and alleyways.

ZUPLA LED

FEATURES & BENEFITS

- > Power up to 6.8W from one side, 13.6W from 2 sides, 20.4W from 3 sides and up to 27.2W from 4 sides
- > Variable distribution outputs from each aperture
- > LEDs are concealed from view in the upper part of the luminaire




PERFORMANCE

| | |
|------------------|---|
| Light source | LED |
| Luminaire output | 304 - 2432lm |
| Distribution | Asymmetric with light distribution from one, two, three or four sides |
| CRI | >80 |

MATERIALS

| | |
|----------|-----------------------------------|
| Body | Die-cast aluminium |
| Finish | Anthracite grey |
| Mounting | Flange mounted on a solid surface |



1 WINDOW

| LAMP | COLOUR TEMP | LUMENS | LIGHT DISTRIBUTION | HEIGHT | STANDARD |
|----------|-------------|--------|--------------------|--------|----------|
| 2 x 1.7W | 4000K | 304lm | 0/2/0/0 | 300 | 71307301 |
| 3 x 1.7W | 4000K | 456lm | 0/3/0/0 | 300 | 71307401 |
| 4 x 1.7W | 4000K | 608lm | 0/4/0/0 | 300 | 71307501 |
| 2 x 1.7W | 4000K | 304lm | 0/2/0/0 | 600 | 71307601 |
| 3 x 1.7W | 4000K | 456lm | 0/3/0/0 | 600 | 71307701 |
| 4 x 1.7W | 4000K | 608lm | 0/4/0/0 | 600 | 71307801 |
| 2 x 1.7W | 4000K | 304lm | 0/2/0/0 | 900 | 71307901 |
| 3 x 1.7W | 4000K | 456lm | 0/3/0/0 | 900 | 71308001 |
| 4 x 1.7W | 4000K | 608lm | 0/4/0/0 | 900 | 71308101 |

ZUPLA LED

2 WINDOW

| LAMP | COLOUR TEMP | LUMENS | LIGHT DISTRIBUTION | HEIGHT | STANDARD |
|----------|-------------|--------|--------------------|--------|----------|
| 4 x 1.7W | 4000K | 608lm | 2/0/2/0 | 300 | 71308201 |
| 6 x 1.7W | 4000K | 912lm | 3/0/3/0 | 300 | 71308301 |
| 8 x 1.7W | 4000K | 1216lm | 4/0/4/0 | 300 | 71308401 |
| 4 x 1.7W | 4000K | 608lm | 2/0/2/0 | 600 | 71308501 |
| 6 x 1.7W | 4000K | 912lm | 3/0/3/0 | 600 | 71308601 |
| 8 x 1.7W | 4000K | 1216lm | 4/0/4/0 | 600 | 71308701 |
| 4 x 1.7W | 4000K | 608lm | 2/0/2/0 | 900 | 71308801 |
| 6 x 1.7W | 4000K | 912lm | 3/0/3/0 | 900 | 71308901 |
| 8 x 1.7W | 4000K | 1216lm | 4/0/4/0 | 900 | 71309001 |

3 WINDOW

| LAMP | COLOUR TEMP | LUMENS | LIGHT DISTRIBUTION | HEIGHT | STANDARD |
|-----------|-------------|--------|--------------------|--------|----------|
| 6 x 1.7W | 4000K | 912lm | 2/2/2/0 | 300 | 71309101 |
| 6 x 1.7W | 4000K | 1368lm | 3/3/3/0 | 300 | 71309201 |
| 10 x 1.7W | 4000K | 1824lm | 4/4/4/0 | 300 | 71309301 |
| 6 x 1.7W | 4000K | 912lm | 2/2/2/0 | 600 | 71309401 |
| 6 x 1.7W | 4000K | 912lm | 3/3/3/0 | 600 | 71309501 |
| 10 x 1.7W | 4000K | 1824lm | 4/4/4/0 | 600 | 71309601 |
| 6 x 1.7W | 4000K | 912lm | 2/2/2/0 | 900 | 71309701 |
| 6 x 1.7W | 4000K | 912lm | 3/3/3/0 | 900 | 71309801 |
| 10 x 1.7W | 4000K | 1824lm | 4/4/4/0 | 900 | 71309901 |

4 WINDOW

| LAMP | COLOUR TEMP | LUMENS | LIGHT DISTRIBUTION | HEIGHT | STANDARD |
|-----------|-------------|--------|--------------------|--------|----------|
| 8 x 1.7W | 4000K | 1216lm | 2/2/2/2 | 300 | 71310001 |
| 12 x 1.7W | 4000K | 1824lm | 3/3/3/3 | 300 | 71310101 |
| 16 x 1.7W | 4000K | 2432lm | 4/4/4/4 | 300 | 71310201 |
| 8 x 1.7W | 4000K | 1216lm | 2/2/2/2 | 600 | 71310301 |
| 12 x 1.7W | 4000K | 1824lm | 3/3/3/3 | 600 | 71310401 |
| 16 x 1.7W | 4000K | 2432lm | 4/4/4/4 | 600 | 71310501 |
| 8 x 1.7W | 4000K | 1216lm | 2/2/2/2 | 900 | 71310601 |
| 12 x 1.7W | 4000K | 1824lm | 3/3/3/3 | 900 | 71310701 |
| 16 x 1.7W | 4000K | 2432lm | 4/4/4/4 | 900 | 71310801 |